## SERIES .



marzel w dolphy















## INSPIRE SERIES



INSPIRE 01



INSPIRE 02



INSPIRE 03



INSPIRE 04



Style Name:	Inspire
 Construction:	Multi-level loop
 Face Yarn:	Universal Nylon6 & Aquafil Nylon6
Color System:	100% Solution Dyed
Gauge:	1/10 Inch
 Stitches:	10 Per Inch
Pile Weight:	19 oz/yd2 (645 g/m²)
Pile Height (Thickness):	2.5mm-6.5mm (±0.5mm)
Total Height (Thickness):	8 mm (±0.5 mm)
Backing:	PVC (PVC With Fibreglass)
Tile Size:	25cm×100cm
 Area of Use:	Heavy Commercial
Flammability:	Passes (ASTM E 648-17) Class I
	Passes (GB 8624-2012) B1
 Smoke Density:	Passes ASTM E 662 Less than 450
 Static Propensity:	Passes AATCC-134≤3.5kV
Static Control:	Life-of-the carpet Static Protection
Formaldehyde Purification:	Passes (JC/T 1074-2008) Class I
Packing:	20 pcs/carton (53.8 SQFT)

## **Recommended Installation Method**



Monolithic



Vertical Ashlar



Brick



Herringbone 45°



Herringbone



DOLPHY INDIA PRIVATE LIMITED INFO@MARZEL.IN | +91 95 20 20 20 35 | WWW.MARZEL.IN

CORPORATE OFFICE: A - 1201-1203, SWASTIK UNIVERSAL, DUMAS ROAD, SURAT - 395007

**BRANCH OFFICE:** GURUGRAM | BANGALORE | MUMBAI | PUNE | HYDERABAD | AHMEDABAD | SURAT CHENNAI | KOLKATA | KERALA | INDORE | CHANDIGARH | VISAKHAPATNAM | LUCKNOW | NAGPUR | GOA | COIMBATORE GUWAHATI | JAIPUR | KOCHI | RAJKOT | PATNA | VADODARA | BHUBANESWAR | NOIDA | JAMMU | DEHRADUN

INTERNATIONAL OFFICES: AUSTRALIA | NEW ZEALAND | MUSCAT | NEPAL | BHUTAN | MIDDLE EAST